
	WASHINGTON STATE DEPARTMENT OF	
BY DA	DATE12 20 01 SHEETOF	0
CHKD.BY	DATE PROGRAM/SECTION FOLIAY WR-CRO COUNTY Yakima	
PROJECT	Waco Orchards LLC Drought Authorization	
SUBJECT	Determination of Drought Walter Pumped	-
	CALCULATION PAD	
1.) Dra	ught authorization occurred on May 29, 2001.	
a.) Authorization for Z existing wells and I new well.	
	i) Well No. 1 (Vista Ridge Well, 300' west & 1500 south from Nº 14 S3Z, TIZ ii) Well No. Z (Skywe Well, 3100' north & 100' eart from S/4 corner S33, TIZN, R	N,R 20 EWN
	LL) Well No. Z (Skywe Well, 3100' north \$700' east from S/4 coiner S33,712W, R	ZOFWM_
	iii) Well No. 3 (New Well, proposed 100'south and 100' west from NE' S32, TIZN, A	
	Oty. authorized = 753 gpm and 367.4 A-St to irrigate 183.7 ac based on 2 ocre-feet lacre duty. Water to be used for supplemental irrigation of orchard from 511 to 10/31 on the following 5 parcel	
	haved on 2 acre-foot large dita Water to be used for speak mental	
	mation of orchard from 51 to 10/31 on the following 5 parcel	
	Parcel A- That portion of the W½NW¼ of Section 28, lying south and west of the Roza	
	Irrigation District P5L Lateral; and the SE¼NE¼ of Section 29, T. 12 N., R. 20 E.W.M., Yakima County, known as Tax Parcel Nos. 201239-14001 and 201228-22003,	
	respectively.	
	Percel D. All that martian of the SELV CG. 1: 00 T. 10 N. D. 00 T. 10 N.	
	Parcel B- All that portion of the SE¼ of Section 29, T. 12 N., R.20 E.W.M., lying northeasterly of the northeasterly right-of-way line of the Roza Canal, EXCEPT	
	right-of-way for Roza laterals and wasteways. Parcel No. 201229-41001.	
	Parcel C- That part of the W½SW¼ of Section 28, T. 12 N., R. 20 E.W.M., lying	
	northerly of the Roza Canal and westerly of the following described line; beginning at a	
W. J.	point on the North boundary of said subdivision situate N 88°54'30" E. 761.65 feet from	
	the NW corner thereof, then S 1°05'25" E 1051.87 feet, thence S 88°54'30" W 48.21 feet, then S 1°44'00" W 227.88 feet, thence S 1°05'25" E 70.50 feet to point "A", then	
	continuing S 1°05'25" E 1323.51 feet to the S boundary of said subdivision and terminus	
	of said line. Parcel No. 201228-32004.	
	Parcel D- That portion of the SE1/4NW1/4 of Section 33, T. 12 N., R. 20 E.W.M., lying	
	westerly of the (Sunnyview) County Road; EXCEPT a strip conveyed to Yakima County	
	for road purposes by deed recorded under Auditor's File No. 988377, 1911466 and 1911467, records of Yakima County, Washington Parcel No 201233-24002.	
	Parcel E- That portion of the N½SE¼ of Section 33, T., 12 R. 20 E.W.M., lying west of	
	the Roza Canal, and that portion of the south 417.5 feet of the SW¼NE¼ of said section lying west of the Roza Canal, EXCEPT for road right-of way along west boundary.	
	Parcel Nos. 201233-13001 and 201233-42001.	

	W	A	S	H	N	G	T	0 1	Į	S	Ţ	A T	E	
-	D	E	P	A	R	T	M	E	N	T	0	0	F	
	L		(i	U		L	ı	U		b	U	Y	

BYOH	DATE 12/20/01		ME CULUUI		SHEET 2 OF C
CHKD.BY	DATE		PROGRAM/SECTION ECOLOGY	WR- CRO	COUNTY Yakima
PROJECT WALD	Orchards LL	Chought	Authorization		

CALCULATION PAD

SUBJECT Determination of Drought Water Pumped



7 10 Marie	W	A	S	Н	l N	G	T	0 N		S	T	A T	E	
	D	E	P	P	R	T	M	O N E	N	T	0	0	F	
	E		(1	U)	L		U		b		Y	

BY_DH	DATE 12/20/01
CHKD.BY	DATE

SHEET 3 OF 6 PROGRAM/SECTION Foology WR-CRO COUNTY Yokima

PROJECT Waso Orchards UC Drought Authorization
SUBJECT Determination of Drought Water Rumped

CALCULATION PAD

ξ,)	Assume combined pump and motor efficiencies (pe.me) = 0.75
11.)	Determine total head requirement "H"
	It = Pumping Lift + Friction loss + discharge pressure
	e Pumping Lift = DWL for this system since discharge is to booster pump intokes at ground love! = 158'
	e Friction loss may be estimated from Cameron Hydraulic Data (19) For 8" column @ 850 gpm, steel pipe, Friction loss = 1,21/100 For 250' of column, hg = (121/100)(250) = 3', SAY 5' for minor losses (pg. 3-23. Cameron)
	* Discharge pressure is unknown, but is likely low due to booster constiguration and system setep. Assume 20 psi. 20 psi = 2.31 /psi = 46.21
	H= 158' + 5' + 46.2' = 209.2', Say 210' Check Assumptions for H
	From Lindeburg 6th Ed. (1997), pg. 4-8. (Q. H (850 gpm)(Z10') = 60. Z HP, round up to next HP = 3956.e = 3956. (0.75) motor size = 75 HP1
<u> کیان</u>) Determine what partion of 'X' kwilter pumped from well
	O From + = 318, 281. Pe me. X/H and system consiguration, Vwell = VBoosness, or (Pe me) well Hurch = (Pe me) boosne Henrice Assuming the relative efficience are the same,
ECY 030-30	XW9EL HUGUL XBOSSTER HESOSTER

ECY 030-30

4.	W	A	S	Н	1	N	G	T	0	N		S	T	A	T	E	
	DE														0	F	
-	L		¥	1		U		L	4	9 0	V		U	ı	18	ľ	

BY_DH	DATE 12/21/	01	LCULU		SHEET 4 OF	1
CHKD.BY	DATE	6.1 1.00	PROGRAM/SECTION_	ECOLOGY	WR-CRO COUNTY Yakima	_
DD0 1505 /A/A	12 Archard	LLC Donald	Athrison	n		

PROJECT Was Orchards LLC Drought Arthorization
SUBJECT Determination of Drought Water Pumped

			CALCUI	LATION	PAD		47			
ili (cont	inuce)).									
•	From	before,	Hwere =	= 210	<i>!</i>					
0	HEOUSTER	z = Pump	ha lift	+ hs.	+ disc	harge	onssure			
			0	9		0 1				
	- W	nile topog	raphy 1	and d	scharz	e-pres	sur ca	n be e	stimat	d
	J.	nite topogniction las	s is mo	re dit	Fielt	due to	unknin	un dis	<i>fribati</i>	n
	- ch	narocterist se HP=	ري د							ļ.,
	os Us									
			(850)(3956 (H)						
						H= (72'			
	Xwen	2101	- , -	7						
Then	XBUISECE	1221	- /6/	۷,	ov					
	XTOTAL.	= Xwen +)	X BOOSTICK	= (,	12 X Box	ster +)	(B+VITEVE	= 2,72	X Goust	er, o
				DTAL	_	- 9a)				
		XBOUTHE	= // 2	72	5	7 / SX	TOTAL			
		Xuru	2 6	5 /0 X	(TOTA)					
1 611	1.	V I	1							
b.) Solving	370	volume,	y)							
VL- 3	18 28	1 · pe · r		711						
N F 3	10120	1 Pe 1	le / A	/ 4						
#=3	8 281	. (0.75)	1. (0.1	3)./	241	117	/210	= 177	887	91900
	0,00,					,,,,		- 121	0021	0
	Convert	ing to	acre-fæ	t (3	25,8	29 aa	lm5 =	acre-	foot).	
		0			1	0)	
X=5	30.6	acre-fee	ŧ							
.) Total v	olume	Dumped	From	Sku	Nue	& Vist	a Rids	e Wel	13:	
	ap. april and				/					
V-TOTAL =	Vserve	ne + Vuistr	= 39	5.6+	- 530	.6=	926.2	2 acre-	feet	
From the	s tote	: Volume	, We	need	to s	Shract	out	"non-	droug	ht"
(1) -	ations.	No.	1						J	

	W	A	S	ΗΙ	N	G	T	0 N		S	Τ	A T	E	
-	D	Ε	P	A	R	T	M	E	N	Ţ	•	0	F	
	L		V	1	U	100	L		U		U		I	

ROJECT Waco (Orchards LI	C Drought	Althorize	-tim			
JBJECT Determine	nation of I	Dorght W	ater Perop	rd			
		CALCU	LATION PA	AD			
(continue)).		14 8 7 8 8 F				
a.) Parcels	ABC.D.	f E, author	rised by t	the drong	ht, hav	e no off	nov
state.	issued right	3 (accordin	g to the	mapped	P.D.U.s	in 6W15)
1201	Λ	!	1 6	- 0	011	L	2
b.) Parcel	A,B,C,D, n-drought	" & appear	TO Mave	a proze	a unorm	ent of .	L/ 1/-
tha	n-orought year.	years. In	allocativ) was rec	avæn 10	u pproxima	1 /3
	Jew.						
Ž.	(3.2)(18	3.7) = 5	87.8 acr	e-feet			
	(1/3)(587						
	(13)(3.2				zatom c	Sta	
						J	
CI) VISTA	RIDGE W	icu is also	an aut	horized	POW to	04-2	4568C,
	74:45				, , ,	1 0-	120 61
1	741 A. Ft 5	n-imigation	1 01 1350	cres supp	lemental	to KID	20 a-t-t par
4:)	8 A-St 50 25 A-St	t group	control	VPP 19			
iv	Assume i	Cocation (it. Dum	and is	difference	in dati	20
			9				3,
	Vi = (3.8	-1.0)(199) = 546	acre-fee	f		
	VERS =		= 8	ocre-ket ocre-ke	-		
	VFC 2						
			579	acre-fe	et		
17.11	Ripor Wall					CA 504	286
d.) Vista	KIDGE WELL	12 9150	in avina	170 FU	W JW	04-270	200.
13	7 A-94 Sor	Frost pon	tection				
e.) Skyvu	e Well is a	lso an av	horized	FOW to	64-	29536C	
(ن)	34.2 Ac-F+ Assume all 126 Ac-F+ 42 Ac-F+	supplemen	tal imset	in of 4	2.8 acres	= 0.8 ac	re-St/oore.
	Assumu all	34.2 03	ed this	year du	e to Ri	D deficit	>0814
<u> Zi)</u>	126 Ac-Ft 1	20 mary Irrica	ation of	28 acr	C		
ui	44 Ac-14	on many in	water of	15 acr	es		

	I W A	SH	I N G	T O	N	STA	TE	
	D E	PA	RT	M	E N	T	O F	
	L	u	U	L	U	U	I	

	calculation pad	
e.)continua		F
	E = 443.4 acre-feet/gear	
6.) Tota	RID deficit needed for Parals A,B,C,D;E =	
	587.8 ocre-ft - 195.9 ocre-ft = 391.9 acre-feet	
7.) Tota	1 Drought authorization for Parcel A, B, C, DFE = 367.4	acr
B) Tota	1 Water pumped from drought-aithorized wells = 926. Za	cre-
9.) Total wells	State-water rights eligible to be pumped from drought	H-ab
	0 579 A-F4 + 7 A-Ft + 443.4 A-Ft= 1,029.4 A-	ΓŁ
	Lacreage authorizations	
10) Total		
0.)	State-issued = 195 acres Drought-issued = 183.7 acres 378.7 acres	
b) d	Drought-issued = 183.7 acres to the total	

367.4 A-St





STATE OF WASHINGTON

PEPARTMENT OF ECOLOGY

e, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

Vista Ridge well fernit# G4-24508C Typical static water level = 102 to 118 ft. Typical dynamic level at 800-850 gpm = 152 to 158 ft. well depth = 495' Premp setting = 250' 5-stage pump, 8" casing, 10" Sowls

RE: Application No(s). G4-32988

Earlier this year, the Department of Ecology issued an Emergency Drought Authorization under the above-referenced application number for the use of emergency wells in the Yakima River basins to supplement reduced deliveries during this irrigation season. In some cases new wells were approved for this purpose.

One of the provisions of the authorizations was that a flow meter must be installed, water use monitored, and the water use records submitted to the department at the end of the irrigation season. At this time, I am writing to request the metering reports on these wells. If you did not drill a well that was authorized, or did not use water that was authorized, please let us know.

My staff will be conducting end of irrigation season field visits in the near future. Your meter records and information on the completion of new wells is greatly appreciated.

If you have questions, please call Suzanne Blakeney at (509) 454-7294.

Sincerely,

Phil Crane, Unit Supervisor Water Resources Program

SB:PC:gg

(1.) On skyrue well (Permit # 64-29536C)

Earliest flow meter reading was 7/5/01 - 608.570 ac.ft.

Lost " was 12/14/02 - 004.189 ac.ft.

for a seasond use total, 7/5/01 to season end, of 395.619 ac.ft.

(2) On vista Ridge well (Permit #'s G+-24568c and Gy-29620c) G4-31383A, G4-32156A


Utilizing electrical meter conversion in assence of pipeline flow meter.

Total H.P. continuous running = 75 HP. well turbine motor + 35 H.P. total in three booster pumps = 110 HP. total on PP=L meter # 90042784, PP=L Acent # 51266041-0105

Total KWH used 3/20/02 to 11/19/01 = 241,412 KWH


3


509/877-4773 Gany Rider








Vista Ridge 10-2-2000











Vista Ridge Orchards 490 Vista Ridge Road Wapato WA 98951-9676



STATE OF WASHINGTON CERTIFY ATE OF WATER RIGHT

Document Title: Certificate of Water Right

Agency: Department of Ecology

Central Regional Office

15 West Yakima Avenue, Suite 200

Yakima WA 98902

Applicant: Vista Ridge Orchards 490 Vista Ridge Road

Wapato WA 98951-9676

Reference Number:

CERTIFICATE NUMBER PRIORITY DATE APPLICATION NUMBER PERMIT NUMBER G4-29620P G4-29620C February 23, 1988 G4-29620

This is to certify that the herein named applicant has made proof to the satisfaction of the Department of Ecology of a right to the use of the public waters of the State of Washington as herein defined, and under and specifically subject to the provisions contained in the Permit issued by the Department of Ecology, and that said right to the use of said waters has been perfected in accordance with the laws of the State of Washington, and is hereby confirmed by the Department of Ecology and entered of record as shown, but is limited to an amount actually beneficially used.

SOURCE		TRIBUTARY OF (IF SUR	FACE WATERS)
a well			
MAX. CUBIC FEET PER SECOND	MAX. GA 400	LLONS PER MINUTE	MAX. ACRE-FEET PER YE

PARCEL#	N/A			ADDITION	IAL LEGAL IS ON PAGE :
PARCEL#	N/A				
SE'ANE'A	32	12	20 E	37	Yakima
1/4 1/4	SECTION	TOWNSHIP N.	RANGE (E. OR W.) W.M.	W.R.I.A.	COUNTY
			CATION OF DIVERS	ION/WII	

PARCEL#	N/A				
The second		12 .	20 E	37	Yakima
1/4 1/4	SECTION	TOWNSHIP N.	RANGE (E. OR W.) W.M.	W.R.I.A.	COUNTY

CONTINUED LEGAL DESCRIPTION FOR LOCATION OF DIVERSION/WITHDRAWAL

300 feet west and 1500 feet south from the northeast corner of Section 32

CONTINUED LEGAL DESCRIPTION FOR PROPERTY ON WHICH WATER IS TO BE USED

<u>Vista Ridge Orchards/"Shafer"</u>: E½SE¼ of Section 32, T. 12 N., R. 20 E.W.M., lying north of the following described line: Beginning at the northeast corner of the SE¼SE¼ of Section 32; thence south 52° west 1664 feet to a point on the west edge of the SE¼SE¼ lying 342 feet north from the south edge of Section 32.

Vista Ridge Orchards: E½NE¼ of Section 32, T. 12 N., R. 20 E.W.M.; SW¼NW¼ of Section 33, T. 12 N., R. 20 E.W.M., and that portion of the NW¼SW¼ of Section 33, lying north of the following described line: Beginning at a point 413 feet south from the northeast corner of said subdivision; thence south 56°43' west 1587.9 feet to a point lying 1276 feet south from the northeast corner of said subdivision.

Skyvue Orchards: S½NE½ of Section 33, T. 12 N., R. 20 E.W.M. lying west of the Roza Canal EXCEPT the south 417.5 feet thereof.

Skyvue Orchards: S½NE¼ and N½SE¼ of Section 33, all lying east of the Roza Canal.

All in Yakima County, Washington.

PROVISIONS (see page 3)

The right to use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, except as provided in RCW 90.03.380, 90.03.390, and 90.44.100.

This certificate of water right is specifically subject to relinquishment for non-use of water as provided in RCW 90.14.

Given under my hand and the seal of this office at Yakima, Washington, this 27th day of August, 1999.

Tom Fitzsimmons
Department of

By_

Robert F. Barwin, Section Manager

ECY 040. 1-2 (Rev. 8-97) 7x109 TK:ska

Ground Water Certificate No. G4-29620C

Ground Water Certificate No. G4-29620 Vista Ridge Orchards Page 3: Provisions

All conditions and requirements contained in reports of examination or permits previously issued apply to this certificate unless specifically noted below.

WELL CONSTRUCTION AND SYSTEM EQUIPMENT

Unperforated well casing shall extend, at a minimum, to a 200 feet depth.

The borehole shall NOT extend below the top of the Pomona Member (basalt layer) of the Saddle Mountains Basalt Formation, estimated to be at a 650 feet depth.

All water wells constructed within the state shall meet the minimum standards for construction and maintenance as provided under RCW 18.104 (Washington Water Well Construction Act of 1971) and Chapter 173-160 WAC (Minimum Standards for Construction and Maintenance of Water Wells).

For the purpose of making water level measurements, installation and maintenance of an access port as described in Ground Water Bulletin No. 1 is required. An air line and gage are also required. The air line shall be equipped with a standard tire valve. Distance from land surface to the bottom end of the air line shall be clearly posted at the well site, accurate to 0.5 feet or less. The air line, access port, and all well equipment shall be installed and maintained to provide access for measurement of water levels.

A suitable measuring device approved by the Department of Ecology shall be installed and maintained in accordance with WAC 508-64-020 through WAC 508-64-040.

Monthly meter readings must be recorded for those months during which water is used. Also, monthly meter readings shall be provided to the department upon request.

At such time as the department determines that additional meters are needed in the delivery system to verify actual use quantities, they shall be installed within a reasonable time after notification by the department.

STATE OF WASHINGTON
DEPARTMENT OF ECOLOGY

CERTIFICATE OF WATER RIGHT

PRIORITY DATE	APPLICATION NUMBER	PERMIT NUMBER	CERTIFICA	TE NUMBER
				4568C
February 9, 1977	G4-24568	G4-24568P	G4-2	43000
NAME				
VISTA RIDGE ORCHARDS				
ADDRESS (STREET)	(CITY)		STATE)	(ZIP CODE)
Rt. 2. Box 2112	he herein named applicant has		hington	98951
use of said waters has b	s contained in the Permit issue been perfected in accordance vert of Ecology and entered of r	vith the laws of the Stat	e of Washington,	and is hereby con
SOURCE	TOBETO WATER	O DE ALTIOTHIATED	***************************************	
A well				
TRIBUTARY OF (IF SURFACE WAT	ERS)			
MAXIMUM CUBIC FEET PER SECO	ND MAXIMUM GALLONS	DCD MINUTE	AXIMUM ACRE-FEET PER	VC A D
MAXIMUM COBIC FEET PER SECO		Market and the second s	774	TEAR
QUANTITY, TYPE OF USE, PERIOD	O OF USE		774	
	ear, to be used from Apr.	11 1 to October 31.	for the irriga	tion of
	eet per year, to be used	continuously for a	group domestic	supply;
195 acres; 8 acre-fe	et per year, to be used ar, to be used for frost			supply;
195 acres; 8 acre-fe				supply;
195 acres; 8 acre-fe	ar, to be used for frost	control as required		supply;
195 acres; 8 acre-fe 25 acre-feet per yes	ar, to be used for frost			supply;
195 acres; 8 acre-feet per yes	LOCATION OF DIVERSION-WITHDRAWAL	control as required	l.	supply;
195 acres; 8 acre-feet per yes	ar, to be used for frost	control as required	l.	supply;
195 acres; 8 acre-feet per yes	LOCATION OF DIVERSION-WITHDRAWAL	control as required	l.	supply;
195 acres; 8 acre-feet per yes	LOCATION OF DIVERSION-WITHDRAWAL	control as required	l.	supply;
195 acres; 8 acre-feet per yes APPROXIMATE LOCATION OF 300 feet west and 15	LOCATION OF DIVERSION-WITHDRAWAL 500 feet south of the not	control as required /ERSION/WITHDRAWAL rtheast quarter of 8	l. Section 32.	
195 acres; 8 acre-feet per yes APPROXIMATE LOCATION OF 300 feet west and 15	LOCATION OF DIVERSION-WITHDRAWAL 500 feet: south of the no	CONTROL AS REQUIRED /ERSION/WITHDRAWAL rthesst quarter of &	Gection 32.	COUNTY
195 acres; 8 acre-feet per yes APPROXIMATE LOCATION OF 300 feet west and 15	LOCATION OF DIVERSION-WITHDRAWAL 500 feet south of the not	CONTROL AS REQUIRED /ERSION/WITHDRAWAL rtheast quarter of a	Gection 32.	
195 acres; 8 acre-feet per yes	LOCATION OF DIVERSION-WITHDRAWAL 500 feet south of the not	CONTROL AS REQUIRED /ERSION/WITHDRAWAL rtheast quarter of &	Gection 32. OR W.I W.M. W.R.I.A. G. 37	COUNTY

Parcel A: The SWs of the NWs AND that part of the NWs of the SWs of Section 33, T. 12 N., R. 20 E.W.M., described as follows: Beginning at the NE corner of said quarter; thence S 0°05' E 413 feet; thence S 56°43' W 1587.9 feet; thence N 1276 feet; thence N 89°46' E 1325.1 feet, to the point of beginning.

AND.

Et NE% of Section 32, T. 12 N., R. 20 E.W.M., that portion east of the Roza Canal located as follows: SE% NE% and NE% SE% of Section 33.

PROVISIONS "The irrigation water herein authorized to be withdrawn is a supplemental supply, with the primary source being water made available by the Rosa Irrigation District, hence, the only water herein permitted for withdrawal is that required to compensate for any deficit in this supply. This amount shall not exceed 741 acre-feet per year less any water applied to these lands under existing rights." Certificate holder shall maintain an access port as described in Ground Water Bulletin No. 1. The right to the use of the water aforesaid hereby confirmed is restricted to the lands or place of use herein described, except as provided in RCW 90.03.380, 90.03.390, and 90.44.020. This certificate of water right is specifically subject to relinquishment for nonuse of water as provided in RCW 90.14.180. Yakima, Given under my hand and the seal of this office at Washington, this 14thday of August ,19 78 Department of Ecology Russell K. Taylor, Regional Manager FOR COUNTY USE ONLY

NOTICE OF APPLICATION FOR CHANGE TO ADD A POINT OF WITHDRAWAL AS AUTHORIZED UNDER GROUND WATER CERTIFICATE NO. G4-24568C.

TAKE NOTICE:

0

That Skyvue Orchards and Vista Ridge Orchards of Wapsto, Washington have filed an application for change to add a point of withdrawal as authorized under Ground Water Certificate No. G4-24568C.

That said certificate authorizes the use of 1,000 gallons per minute, 774 acre feet per year for the irrigation of 195 acres, group domestic supply and frost control.

That the authorized place of use is:

Parcel A: the SWANWA and that part of the NWASWA of Section 33, T. 12 N.,

R. 20 E.W.M. described as follows: Beginning at the northeast corner of said
quarter, thence south 0°05' east 413 feet; thence south 56° 43' west 1587.9

feet, thence north 1,276 feet; thence north 89°45' east 1,325.1 feet to the
point of beginning.

AND ENNE of Section 32, and that portion of the SNE and the NSE lying east of the Roza Canal right-of-way, Section 33, all within T. 12 N., R. 20 N., E.W.M.

That the authorized point of withdrawal is located approximately 300 feet west and 1,500 feet south of the northeast corner of Sec. 32 being within the SEANE' Sect. 32, T. 12 N., R. 20 E.W.M. That the application proposes to add a point of withdrawal located within the SWANE' Sec. 33, T. 12 N., R. 20 E.W.M. Protests or objections to approval of this application must include a detailed statement of the basis for objections and must be accompanied by a two dollar (\$2.00) recording fee. All protests must be filed with the Department of Ecology, Central Regional Office, 3601 W. Washington, Yakima, Washington 98903, within thirty (30) days from:

STATE OF WASHINGTON DEPARTMENT OF ECOLOGY

PROOF OF APPROPRIATION OF WATER

APPLICATION NUMBER 64 14568 NAME OF PERMITTEE	44-24568P
VISTA RICGE ORCHARDS - CO POST OFFICE ADDRESS (CO Rt 2 BOX 2112 WAPA ACTUAL SOURCE OF APPROPRIATION	MEL GIMMAKA & Joseph Copalains
PURPOSE OR PURPOSES WATER IS USED FOR IMPOSE OR PURPOSES WATER IS USED FOR IMPOSE CONTROL	
DATE WAVER WAS COMPLETELY APPLIED TO PERMITTED USE 4-1-78 IF SOURCE IS A WELL, IS AN ACCESS PORT NOW INSTALLED	196
YES NO	MONTHS DURING WHICH WATER IS USED 6-7 MONTHS April - STERO
ACTUAL AMOUNT WITHDRAWN OR DIVERTED FROM PERMANENT S	
HAVE ALL PROVISIONS AS REQUIRED BY PERMIT BEEN ACCOMPLIS	SHED IF NO, EXPLAIN
25hp Brester pump At	The Well site
Section 33 T. 12N R 20 EWN NE CONVER OF DAID GUNTER; The W 1587.9 FEET; Thence N 127 TO The Rowt of Beginning AND Ella NElly of Section 32 T. The ROZA CANAL LOCATED Section 33 AND SE'ly of the NElly of Sec. 3	
	17 12 N Range De EWM
STATE OF WASHINGTON, County of Yakina.	RECEIVED 274 ac. ft
1. MEL Gimmaka read the above and foregoing proof of appropria	JUL 18 1973 heing first difference and so nat I have tion; that I know the contents thereof; and that the facts therein
stated are true.	
IN WITNESS WHEREOF, I have hereunto set	my hand this 14 day of July 1978
Subscribed and sworn to before me this	all to
ECY 04C-1-26	Notary Public



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

November 16, 2001

WACO Orchards LLC 490 Vista Ridge Rd Wapato WA 98951

RE: Application No(s). G4-32988

Earlier this year, the Department of Ecology issued an Emergency Drought Authorization under the above-referenced application number for the use of emergency wells in the Yakima River basins to supplement reduced deliveries during this irrigation season. In some cases new wells were approved for this purpose.

One of the provisions of the authorizations was that a flow meter must be installed, water use monitored, and the water use records submitted to the department at the end of the irrigation season. At this time, I am writing to request the metering reports on these wells. If you did not drill a well that was authorized, or did not use water that was authorized, please let us know.

My staff will be conducting end of irrigation season field visits in the near future. Your meter records and information on the completion of new wells is greatly appreciated.

If you have questions, please call Suzanne Blakeney at (509) 454-7294.

Sincerely

Phil Crane, Unit Supervisor Water Resources Program

SB:PC:gg 011110a # 46° 29 '10.9"

Drought Field Checklist * 120° 20' 05.7"

Deta of Fig	14 Wiele		GPS Reading	
Date of Fig	31988		GPS Reading	DACHARDS LLC
07	/ Permit Number		Certificate / Per	
	877-477	3	GEARY	
Phone Nur			Contact Name	00/00////
METER (V	WATER and/or ELE	ECTRICAL) IN	FORMATION:	
YES	Type:		Reading:	
	Type:		Reading:	
	Type:		Reading:	
NO	Describe alterna	ative measuring	technique:	
18" 1		~ -NO FLOW		When Close
100			5 AP TURBI	ngu ciosa ng
1 8" 100				in PROBLEM NAME
		ME KIGA A		ne i aviagai.
LME	R 1100 6P1	The state of the s	maining	250 AP TURBIN
	A STREET, ASSOCIATION WAS DESIGNED			
	users are on the electrons. (Sho	ctrical meter:	ET ×,001 the pump)	N 46° 29' 07
How many PUMP INF Type:	users are on the ele	ctrical meter:		N 46° 29' 07
How many PUMP INF Type:	users are on the ele	ctrical meter:	the pump)	N 46° 29' 07
How many PUMP INF Type:	users are on the ele	ctrical meter:	the pump)	N 46° 29' 07
How many PUMP INF Type: Other pum	users are on the electory of t	ould be a tag on _HP:	the pump)	N 46° 29' 07
How many PUMP INF Type:	users are on the electory of t	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
PUMP INF Type: Other pum	users are on the electory of t	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
PUMP INF Type: Other pum	users are on the electory of t	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
How many PUMP INF Type: Other pum	users are on the electory of t	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
How many PUMP INF Type: Other pum	users are on the electory of t	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
How many PUMP INF Type: Other pum General No	users are on the electron of t	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
PUMP INF Type: Other pum General No	users are on the elections: (Shoot of the elections:) Questions:	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
PUMP INF Type: Other pum General No	users are on the electron of t	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
PUMP INI Type: Other pum General No	users are on the elections: (Shoot of the elections:) Questions:	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
PUMP INF Type: Other pum General No	users are on the elections: (Shoot of the elections:) Questions:	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
PUMP INI Type: Other pum General No	users are on the elections: (Shoot of the elections:) Questions:	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
PUMP INI Type: Other pum General No	users are on the elections: (Shoot of the elections:) Questions:	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07
PUMP INITYPE: Other pum General No	users are on the elections: (Shoot of the elections:) Questions:	ould be a tag on _HP:	the pump)Head Discha	N 46° 29' 07



STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

15 West Yakima Avenue, Suite 200 • Yakima, Washington 98902-3452 • (509) 575-2490

May 29, 2001

To:

Carroll Palmer, Yakama Nation

RE:

Emergency Drought Permit re: G4-32988

Enclosed is a copy of the Department of Ecology's Emergency Drought Change Authorization(s), which constitutes our determination and order regarding the above-referenced application(s). If you have any questions or concerns about any of this information, please call Carol Mortensen of the Department of Ecology at (509) 575-2597.

This Order may be appealed pursuant to RCW Chapter 43.21B. The person to whom this Order is issued must file an appeal with the Pollution Control Hearings Board within thirty (30) days of receipt of this Order. Send the appeal to: Pollution Control Hearings Board, P.O. Box 40903, Olympia, Washington 98504-0903. At the same time, a copy of the appeal must be sent to: Department of Ecology, Fiscal Office, P.O. Box 47615, Olympia, Washington 98504-7615. All others receiving notice of this Order must file an appeal with the Pollution Control Hearings Board within thirty (30) days of the date the Order was mailed in the same manner described above.

Sincerely

Robert F. Barwin, Section Manager

Water Resources Program

RFB:gg 010578a

Enclosures: Emergency Drought Change Authorization(s)

f-loth.doc